

RECOMMENDED MAINTENANCE SCHEDULE FOR HOMEOWNERS (ORS 701.335) (OAR 812-001-0240)

Maintenance Item	Description of Maintenance	How Often	Date	Date	Date
Caulking/ Weather-Stripping	Check and repair missing, cracked, or peeling caulking or weather-stripping around window sills, door frames, and in siding gaps.	Twice yearly			
Debris Removal	Inspect gutters for debris blockage. Remove debris (for example, tree needles and leaves) from downspouts and gutters.	Yearly			
Foundation	Check soil around foundation to make sure that it slopes in such a way that water can flow away from the foundation. Fill soil in any areas that have settled around the foundation.	Yearly			
Gutters & Downspouts	Inspect gutters and downspouts for leaks. Repair if necessary. Check alignment of gutters, downspouts, and splash blocks to ensure that water is properly diverted away from the structure and foundation. Repair if necessary.	Yearly			
Landscaping Sprinklers	Check landscaping sprinklers to make sure that they are not set so that they will soak siding or form puddles near the foundation. Adjust if necessary.	Yearly			
Mortar	Check and repair missing mortar in exterior masonry.	Yearly			
Paint	Check painted surfaces for cracking, peeling, or fading. Repaint if necessary.	Yearly			
Roof	Check roof for damaged, loose, or missing shingles. Check flashing around roof stacks, vents, skylights, and chimneys and in roof valleys for missing or loose flashing. Repair or replace if necessary.	Yearly			
Trees & Shrubs	Trim back tree branches, shrubs, and other plants to make sure they are not in contact with the structure.	Yearly			
Ventilation Systems	Check to make sure that interior mechanical ventilation systems (such as bathroom, kitchen, and utility room vent fans) are in good working order. Repair if necessary.	Every two months			
Water Stains	Check for water stains in the roof of the attic and in the exterior overhangs or soffits. If water stains are present, locate and repair the cause of moisture intrusion.	Yearly			